WHAT IS CLAIMED IS:

- 1. A transgenic *Neisseria* bacterium comprising a disrupted *pld* gene wherein the bacterium has reduced phospholipase D activity as compared to the phospholipase D activity of a corresponding wild-type *Neisseria*.
- 2. The bacterium of claim 1, wherein the *pld* gene is disrupted by mutagenesis.
- 3. The bacterium of claim 2, wherein the mutagenesis is deletion mutagenesis, insertion mutagenesis, substitution mutagenesis, or a combination thereof.
- 4. The bacterium of claim 1, wherein the bacterium has reduced amounts of phosphatidic acid and choline as compared to a corresponding wild-type *Neisseria*.
- 5. The bacterium of claim 1, wherein the bacterium has reduced toxicity as compared to a corresponding wild-type *Neisseria*.
- 6. The bacterium of claim 1, wherein the *pld* gene comprises nucleic acid sequence SEQ ID NO:9, SEQ ID NO:13, SEQ ID NO:15, SEQ ID NO:17 or SEQ ID NO:19.
- 7. An isolated and purified polynucleotide encoding a PLD from a *Neisseria* bacterium.
- The polynucleotide of claim 7, wherein the polynucleotide comprises
 nucleic acid sequence SEQ ID NO:9, SEQ ID NO:13, SEQ ID NO:15, SEQ
 ID NO:17 or SEQ ID NO:19.
- An isolated and purified polypeptide encoded by nucleic acid sequence SEQ ID NO:9, SEQ ID NO:13, SEQ ID NO:15, SEQ ID NO:17 or SEQ ID NO:19.
- An isolated and purified polypeptide comprising phospholipase D from a Neisseria bacterium.
- 11. The polypeptide of claim 10, wherein the polypeptide comprises SEQ ID NO:4, SEQ ID NO:14, SEQ ID NO:16, SEQ ID NO:18 or SEQ ID NO:20.
- 12. A vaccine comprising an immunogenic amount of a PLD polypeptide from *Neisseria*, which amount is effective to immunize a patient against a

- neisserial infection, in combination with a physiologically-acceptable, non-toxic vehicle.
- 13. The vaccine of claim 19, which further comprises an effective amount of an immunological adjuvant.
- 14. The vaccine of claim 19, wherein the polypeptide is conjugated or linked to a second peptide.
- 15. The vaccine of claim 19, wherein the polypeptide is conjugated or linked to a polysaccharide.
- 16. The vaccine of claim 19, wherein the polypeptide is encoded by a polynucleotide comprising SEQ ID NO:9, SEQ ID NO:13, SEQ ID NO:15, SEQ ID NO:17 or SEQ ID NO:19.
- 17. A method of protecting a patient against *Neisseria* colonization or infection comprising administering to the patient an effective amount of a vaccine comprising an immunogenic amount of a PLD polypeptide from *Neisseria*, which amount is effective to immunize a susceptible patient against a neisserial infection, in combination with a physiologically-acceptable, nontoxic vehicle.
- 18. The method of claim 15, which further comprises an effective amount of an immunological adjuvant.
- 19. The method of claim 15, wherein the polypeptide is conjugated or linked to a second peptide.
- 20. The method of claim 15, wherein the polypeptide is conjugated or linked to a polysaccharide.
- 21. The method of claim 15, wherein the vaccine is administered orally, mucosally or by subcutaneous or intramuscular injection.
- 22. The method of claim 15, wherein the polypeptide is encoded by a polynucleotide comprising SEQ ID NO:9, SEQ ID NO:13, SEQ ID NO:15, SEQ ID NO:17 or SEQ ID NO:19.

- 23. A method of preventing infection or colonization of *Neisseria* in a patient by administering to the patient a compound that inhibits neisserial phospholipase D.
- 24. The method of claim 23, wherein the compound is an anti-neisserial phospholipase D antibody.